

AUTHOR INDEX

1980, Volume 14

A

- ABILDSCOV J A *see* LUX R L *et al*
 AHERNE W A *see* JOHNSON C E *et al*
 AHMED S S *see* LEE W-K *et al*
 AITKENHEAD A R *see* GILMOUR D G *et al*
 AMLIE J P, STORSTEIN L, and WATANABE H Digoxin- and digitoxin-induced changes in monophasic action potential of the right ventricle of the dog heart, 130
 AMORIM D S *see* MARIN NETO J A *et al*
 ANDERSON K M *see* LAZARUS M L *et al*
 ANDERSEN K S *see* LEKVEN J and ANDERSEN K S
 ANDERSON R H *see* GUERREIRO D *et al*
 AZUMA T, OHASHI T, and SAKAGUCHI M An approach to the pathogenesis of "white finger" induced by vibratory stimulation: acute but sustained changes in vascular responsiveness of canine hindlimb to noradrenaline, 725

B

- BACHE R J *see* MELBY K and BACHE R J
 BALBARINI A *see* BARSOTTI A *et al*
 BALLESTRA A M *see* L'ABBATE A *et al*
 BARKER B, ROSARIO M D, GRANT V, McNAMARA J J, and SUEHIRO G T Infarct distribution in subhuman primates after acute coronary occlusion, 671
 BARSOTTI A, MARIOTTI R, BALBARINI A, and MARIANI M Quantitative evaluation of the regional left ventricular function in normal subjects by means of cineangiography, 30
 BASSETT A L *see* GUSE P A *et al*
 BATTEN J R and NEWMAN D L Influence of static and oscillatory pressure/strain on ^{131}I -albumin by the wall of the isolated pig thoracic aorta, 590
 BATTLE A, GALLAGHER K P, FROELICHER V F, KUMADA T, KEMPER W S, and ROSS J Detection of latent coronary stenosis in conscious dogs: regional functional and electrocardiographic responses to isoprenaline, 476
 BELLAMY R F Calculation of coronary vascular resistance 261
 BENSON T J, NEREM R M, and PEDLEY T J Assessment of wall shear stress in arteries, applied to the coronary circulation, 568
 BOLAND J and TROQUET J Intracellular action potential changes induced in both ventricles of the rat by an acute right ventricular pressure overload, 735
 BOS G C VAN DEN *see* VAN DEN BOS G C
 BOVE A A *see* BREISCH E A *et al*
 BRANDON T A *see* RIBEIRO L G T *et al*
 BRANNAN J J *see* TAYLOR K M *et al*
 BRAUNWALD E *see* KLONER R A and BRAUNWALD E RUDE R E *et al*
 BREISCH E A, BOVE A A, and PHILLIPS S J Myocardial morphometrics in pressure overload left ventricular hypertrophy and regression, 161
 — HOUSER S R, CAREY R A, SPANN J F, and BOVE A A Myocardial blood flow and capillary density in chronic pressure overload of the feline left ventricle, 469
 BROOKS W W, VERRIER R L, and LOWEN B Protective effect of verapamil on vulnerability to ventricular fibrillation during myocardial ischaemia and reperfusion, 295
 BROUGHTON A and KORNER P I Steady-state effects of preload and afterload on isovolumic indices of contractility in autonomically blocked dogs, 245

- BRUTSAERT D L *see* LEWIS M J *et al*
 BURCH P R J Ischaemic heart disease: epidemiology, risk factors and cause: Review, 307
 BURGESS M J *see* LUX R L *et al*
 BURSTYN P G and HUSBANDS D R Fat induced hypertension in rabbits. Effects of dietary fibre on blood pressure and blood lipid concentration, 185

C

- CAMICI P *see* L'ABBATE A *et al*
 CAREY R A *see* BREISCH E A *et al*
 CASALS J G *see* TAYLOR K M *et al*
 CASELLAS D and MIMRAN A Measurement of cardiac output and its distribution in rats under various sodium intakes, using 15 and 10 micron spheres, 577
 CLAES V A *see* LEWIS M J *et al*
 CLAYTON F C *see* PIEPER G M *et al*
 COHAVI S *see* NICHOLS A B *et al*
 CODINI M A *see* YIPINTOSOI T *et al*
 COLTART D J *see* FITCHETT D H *et al*
 — MANNING A S *et al*
 CUMMINS P *see* PRICE K M *et al*

D

- DAVIES M J *see* HENNEY A M *et al*
 DE JONGE M K, VAN DEN BOS G C, and ELZINGA G Changes of microsphere density with time in myocardial infarcts in dogs: Instruments and techniques, 741
 DEBOER L W V *see* RUDE R E *et al*
 DEWAR H A *see* JOHNSON C E *et al*
 DOLLERY C T *see* HOSSMANN V *et al*
 DOUGLAS I H S *see* GILMOUR D G *et al*
 DRAKE A J, HAINES J R, and NOBLE M I M Preferential uptake of lactate by the normal myocardium in dogs, 65

E

- EINZIG S, STALEY N A, METTLER E, NICOLOFF D M, and NOREN G R Regional myocardial blood flow and cardiac function in a naturally occurring congestive cardiomyopathy of turkeys, 396
 ELAMIN M S, MARY D A S G, SMITH D R, and LINDEN R J Prediction of severity of coronary artery disease using slope of submaximal ST/segment/heart rate relationship, 681
 ELIOT R S *see* PIEPER G M *et al*
 ELZINGA G and WESTERHOF N Pump function of the feline left heart: changes with heart rate and its bearing on the energy balance, 81
see also DE JONGE M K
 HUISMAN R M *et al*
 EPSTEIN K *see* GUSE P A *et al*

F

- FERGUSON A G *see* OGUNRO E A *et al*
 FIELD J *see* NELLIS S H *et al*
 FISHBEIN M C, HARE C A, GISSEN S A, SPADARO J, MACLEAN D, and MAROKO P R Identification and quantification of histochemical border zones during the evolution of myocardial infarction in the rat, 41

- FITCHETT D H, COLTART D J, LITTLER W A, LEYLAND M J, TRUAMAN T, GOZZARD D I, and PETERS T J Cardiac involvement in secondary haemochromatosis: a catheter biopsy study and analysis of myocardium, 719
 FITZGERALD G A *see* HOSSMANN V *et al*
 FORE F N *see* SMITH G T *et al*
 FORMAN R and KIRK E S Comparative effects of vasodilator drugs on large and small coronary resistance vessels in the dog, 601
 FROELICHER V F *see* BATTLE A *et al*
 FUJIWARA S *see* TANABE M *et al*
 FURUKAWA T *see* MORISHITA H and FURUKAWA T

G

- GAIDE M S *see* GUSE P A *et al*
 GALLAGHER K P *see* BATTLE A *et al*
 GALLO L *see* MARIN NETO J A *et al*
 GEARY G *see* SMITH G T *et al*
 GELBAND H *see* GUSE P A *et al*
 GILMOUR D G, DOUGLAS I H S, AITKENHEAD A R, HOTHERSALL A P, HORTON P W, and LEDINGHAM I M Colon blood flow in the dog: effects of changes in arterial carbon dioxide tension, 11
 GILMOUR R F and ZIPES D P Electrophysiological characteristics of rodent myocardium damaged by adrenaline, 582
 GINSBURG R *see* ROSS G *et al*
 GISSEN S A *see* FISHBEIN M C *et al*
 GORMAN M W and SPARKS H V Nitroglycerin causes vasodilatation within ischaemic myocardium, 515
 GOZZARD D I *see* FITCHETT D H *et al*
 GRANT V *see* BARKER B *et al*
 GUERREIRO D, LENNOX S C, and ANDERSON R H Postnatal development of the pig heart, 675
 GUSE P A, GAIDE M S, MYERBURG R J, EPSTEIN K, GELBAND H, and BASSETT A L Electrophysiological effects of alprenolol on depressed canine myocardium, 654

H

- HAGEMAN G R *see* URTHALER F *et al*
 HAIDER B *see* LEE W-K *et al*
 HAINES J R *see* DRAKE A J *et al*
 HALLBACK-NORDLANDER, M *see* LUNDIN S A and HALLBACK-NORDLANDER M
 HARDING D P and POOLE-WILSON P A Calcium exchange in the rabbit myocardium during and after hypoxia: effect of temperature and substrate, 435
 HARE C A *see* FISHBEIN M C *et al*
 HARPER P V *see* LESSEM J *et al*
 HEARSE D J *see* MANNING A S *et al*
 HENDERSON A H *see* LEWIS M J *et al*
 HENNEY A M, PARKER D J, and DAVIES M J Estimation of protein and DNA synthesis in allograft organ cultures as a measure of cell viability, 154
 HIRATA M *see* TANABE M *et al*
 HIRATA Y, TOYAMA J, and YAMADA K Effects of hypoxia or low pH on the alteration of canine ventricular action potentials following an abrupt increase in driving rate, 108
 HOEK T M VAN DER *see* VAN DER HOEK T M
 HOPKINS D G *see* RIBEIRO L G T *et al*
 HORTON P W *see* GILMOUR D G *et al*
 HORWITZ L D and LIFSCHITZ M D Role of the autonomic nervous system in the pressor response to calcium in conscious dogs, 522
 HOSSMANN V, FITZGERALD G A, and DOLLERY C T Circadian rhythm of baroreflex reactivity and adrenergic vascular response, 125
 HOTHERSALL A P *see* GILMOUR D G *et al*

- HOTVEDT R and REFSUM H Electrophysiological and mechanical effects of contrast media on isolated rat atria, 638
 HOUSER S R *see* BREISCH E A *et al*
 HOUSMANS P R *see* LEWIS M J *et al*
 HUISMAN R M, ELZINGA G, WESTERHOF N, and SIPKEMA P Measurement of left ventricular wall stress, 142
 HUSBANDS D R *see* BURSTYN P G and HUSBANDS D R

I

- INO-Oka E *see* ISHIDE N *et al*
 ISHIDE N, SHIMIZU Y, MARUYAMA Y, KOIWA Y, NUNOKAWA T, ISOYAMA S, KITAOKA S, TAMAKI K, INO-Oka E, and TAKISHIMA T Effects of changes in the aortic input impedance on systolic pressure-ejected volume relationships in the isolated supported canine left ventricle, 229
 ISOYAMA S *see* ISHIDE N *et al*
 ITOKAWA Y *see* YUI Y *et al*

J

- JAMES T N *see* URTHALER F *et al*
 JOHNSON C E, DEWAR H A, and AHERNE W A Fibrinolytic therapy in subacute bacterial endocarditis: an experimental study, 482
 JOHNSON J A *see* SAARI J T and JOHNSON J A

K

- KARAFFA S *see* RUDE R E *et al*
 KAWAI C *see* SASAYAMA S *et al*
 YUI Y *et al*
 KEMPER W S *see* BATTLE A *et al*
 KEOGH J M *see* MANNING A S *et al*
 KERBER R E *see* MARTINS J B *et al*
 KHURI S *see* RUDE R E *et al*
 KILPATRICK D *see* TALBOT S *et al*
 KINNEY E L *see* NELLIS S H *et al*
 KIRK E S *see* FORMAN R and KIRK E S
 KITAOKA S *see* ISHIDE N *et al*
 KLASSEN G A *see* L'ABBATE A *et al*
 KLEIN H *see* MULLER K D *et al*
 KLONER R A and BRAUNWALD E Observations on experimental myocardial ischaemia: Review, 371
 — *see also* RUDE R E *et al*
 KOIWA Y *see* ISHIDE N *et al*
 KORNER P I *see* BROUGHTON A and KORNER P I
 KOZVELOVE F *see* SIA J B *et al*
 KUMADA T *see* BATTLE A *et al*

L

- LAB M J Transient depolarisation and action potential alterations following mechanical changes in isolated myocardium, 624
 L'ABBATE A, MARZILLI M, BALLESTRA A M, CAMICI P, TRIVELLA M G, PELOSI G, and KLASSEN G A Opposite transmural gradients of coronary resistance and extra-vascular pressure in the working dog's heart, 21
 LAUGHLIN D L *see* MARTINS J B *et al*
 LAZARUS M L, ROSSNER K L, and ANDERSON K M Adrenergic-induced alterations of the action potential in rat papillary muscle, 446
 LEDINGHAM I M *see* GILMOUR D G *et al*
 LEE W-K, HAIDER B, AHMED S S, OLDEWURTEL H A, LYONS M M, and REGAN T J Cell sodium and the induction myocardial injury after adrenaline, 661
 LEKVEN J and ANDERSEN K S Migration of 15 micron microspheres from infarcted myocardium, 280

- LENNOX S C *see* GUERREIRO D *et al*
 LESCH M *see* OGUNRO E A *et al*
 LESSEM J, POLIMENI P I, PAGE E, RESNEKOV L, HARPER P V,
 and STARK V Accumulation of technetium-99m
 pyrophosphate in experimental infarctions in the rat, 352
 LEVY D M *see* MARTINS J B *et al*
 LEWIS M J, HOUSMANS P R, CLAES V A, BRUTSAERT D L,
 and HENDERSON A H Myocardial stiffness during
 hypoxic and reoxygenation contracture, 339
 LEYLAND M J *see* FITCHETT D H *et al*
 LIFSCHITZ M D *see* HORWITZ L D and LIFSCHITZ M D
 LIMAS C J and SPIER S S Effect of antihypertensive therapy
 on calcium transport by cardiac sarcoplasmic reticulum
 of SHRS, 692
 LINDEN R J *see* ELAMIN M S *et al*
 LITTLER W A *see* FITCHETT D H *et al*
 PRICE K M *et al*
 LOWN B *see* BROOKS W W *et al*
 LUNDIN S A and HALLBACK-NORDLANDER M Background
 of hyperkinetic circulatory state in young spontaneously
 hypertensive rats, 561
 LUX R L, URIE P M, BURGESS M J, and ABILDSKOV J A
 Variability of the body surface distributions of QRS,
 ST-T and QRST deflection areas with varied activation
 sequence in dogs, 607
 LYONS M M *see* LEE W-K *et al*

M

- MACLEAN D *see* FISHBEIN M C *et al*
 MCNAMARA J J *see* BARKER B *et al*
 SMITH G T *et al*
 MANCO J C *see* MARIN NETO J A *et al*
 MANNING A S, KEOGH J M, HEARSE D J, and COLTART D J
 Beta-blockade and ischaemic injury: effects of partial
 agonist activity, 619
 MARCUS M L *see* MARTINS J B *et al*
 MARIANI M *see* BARSOTTI A *et al*
 MARIN NETO J A, GALLO L, MANCO J C, and AMORIM D S
 Mechanisms of tachycardia on standing studies in
 normal individuals and in chronic Chagas' heart
 patients, 541
 MARIOTTI R *see* BARSOTTI A *et al*
 MAROKO P R *see* FISHBEIN M C *et al*
 RUDE R E *et al*
 MARTINS J B, KERBER R E, MARCUS M L, LAUGHLIN D L,
 and LEVY D M Inhibition of adrenergic neuro-
 transmission in ischaemic regions of the canine left
 ventricle, 116
 MARUYAMA Y *see* ISHIDE N *et al*
 MARY D A S G *see* ELAMIN M S *et al*
 MARZILLI M *see* L'ABBATE A *et al*
 MATSUGUCHI H *see* TAKESHITA A *et al*
 MEDUGORAC I Collagen content in different areas of
 normal and hypertrophied rat myocardium, 551
 MELBY K and BACHE R J Effect of selective beta-adrenergic
 blockade and stimulation on regional myocardial blood
 flow following acute coronary artery occlusion in the
 awake dog, 192
 METTLER E *see* EINZIG S *et al*
 MILLER R R *see* RIBEIRO L G T *et al*
 MIRMAN A *see* CASELIAS D and MIRMAN A
 MIRVIS D M Comparison of isopotential surface mapping
 and dipole ranging methods for assessing equivalent
 cardiac generator properties, 360
 MITTRA S M *see* TAYLOR K M *et al*
 MOORE R H *see* NICHOLS A B *et al*
 MORISHITA H and FURUKAWA T Possible modes of action
 of dobutamine in dog femoral and pulmonary arteries,
 103

- MORTON J J *see* TAYLOR K M *et al*
 MULLER K D, KLEIN H, and SCHAPER W Changes in myo-
 cardiac oxygen consumption 45 minutes after experi-
 mental coronary occlusion do not alter infarct size, 710
 MYERBURG R J *see* GUSE P A *et al*

N

- NAKAMURA M *see* TAKESHITA A *et al*
 NELLIS S H, ROBERTS B H, KINNEY E L, FIELD J, UMMAT A,
 and ZELIS R Beneficial effect of dexamethasone on the
 "no reflow" phenomenon in canine myocardium, 137
 NEREM R M *see* BENSON T J *et al*
 NEWMAN D L *see* BATTEN J R and NEWMAN D L
 NEWMAN W H and WEBB J G A differential inotropic
 responsiveness to isoprenaline and ouabain in dogs with
 heart failure, 530
 NICHOLS A B, MOORE R H, COHAVI S, POHOST G M, and
 STRAUSS W H Quantification of myocardial infarction
 by computer-assisted positron emission tomography, 428
 NICOLOFF D M *see* EINZIG S *et al*
 NOBLE D Mechanism of action of therapeutic levels of
 cardiac glycoside: Review, 495
 NOBLE M I M *see* DRAKE A J *et al*
 NORDLANDER M HALLBACK *see* HALLBACK-NORDLANDER M
 NOREN G R *see* EINZIG S *et al*
 NUNOKAWA T *see* ISHIDE N *et al*

O

- OGUNRO E A, FERGUSON A G, and LESCH M A kinetic
 study of the pH optimum of canine cardiac cathepsin D,
 254
 OHHASHI T *see* AZUMA T *et al*
 OHTA N *see* TANABE M *et al*
 OKA E *see* INO-OKA E
 OLDEWURTEL H A *see* LEE W-K *et al*
 OPERSCHALL E J *see* SEITZ W S and OPERSCHALL E J
 OSAKADA G *see* SASAYAMA S *et al*
 OSBORNE M W *see* SIA J B *et al*
 OYAMA M *see* SMITH G T *et al*

P

- PAGE E *see* LESEM J *et al*
 PARKER D J *see* HENNEY A M *et al*
 PEDLEY T J *see* BENSON T J *et al*
 PELOSI G *see* L'ABBATE A *et al*
 PETERS T J *see* FITCHETT D H *et al*
 PHILLIPS S J *see* BREISCH E A *et al*
 PIENE H and SUND T Performance of the right ventricle:
 a pressure plane analysis, 217
 PIEPER G M, TODD G L, WU S T, SALHANY J M, CLAYTON F
 C, and ELIOT R S Attenuation of myocardial acidosis
 by propranolol during ischaemic arrest and reperfusion:
 evidence with ³¹P nuclear magnetic resonance, 646
 POHOST G M *see* NICHOLS A B *et al*
 POLIMENI P I *see* LESSEM J *et al*
 POOLE-WILSON P A *see* HARDING D P and POOLE-WILSON P A
 PRICE K M, LITTLER W A, and CUMMINS P Myosin
 adenosinetriphosphatase activity and light chain sub-
 unit composition of human right and left ventricle, 555

R

- RANDALL O S *see* SIPKEMA P *et al*
 REDUTO L A *see* RIBEIRO L G T *et al*
 REFSUM H *see* HOTVEDT R and REFSUM H
 REGAN T J *see* LEE W-K *et al*
 RESNEKOV L *see* LESSEM J *et al*

- RIBEIRO L G T, HOPKINS D G, BRANDON T A, REDUTO L A, and MILLER R R Quantification of hyperaemia bordering ischaemic myocardium in experimental myocardial infarction, 345
 ROBERTS B H *see* NELLIS S H *et al*
 ROSARIO M D *see* BARKER B *et al*
 ROSS G, STINSON E, SCHROEDER J, and GINSBURG R Spontaneous phasic activity of isolated human coronary arteries, 613
 ROSS J *see* BATTLER A *et al*
 ROSENKRANTZ J *see* YIPINTSOI T *et al*
 ROSSNER K L *see* LAZARUS M L *et al*
 RUDE R E, KLONER R A, MAROKO P R, KHURI S, KARAFFA S, DEBOER L W V, and BRAUNWALD E Effects of amrinone on experimental acute myocardial ischaemic injury, 419
 RUF W *see* SMITH G T *et al*
- S
- SAARI J T and JOHNSON J A Calcium kinetics in individual heart segments, 731
 SAKAGUCHI M *see* AZUMA T *et al*
 SALHANY J M *see* PIEPER G M *et al*
 SASAYAMA S, OSAKADA G, TAKAHASHI M, SHIMADA T, and KAWAI C Modification of regional function of ischaemic myocardium by the alteration of arterial pressure in dogs, 93
 SAXENA P R *see* SCHAMHARDT H C *et al*
 SCHAMHARDT H C, VERDOUW P D, VAN DER HOEK T M, and SAXENA P R Regional myocardial blood flow and segmental wall function after oxyfedrine administration in the ischaemic porcine heart, 451
 SCHAPER W *see* MULLER K D *et al*
 SCHEUER J *see* YIPINTSOI T *et al*
 SCHROEDER J *see* ROSS G *et al*
 SEITZ W S and OPERSCHALL E J Noninvasive determination of the mitral valve area in stenosis: a computational model and correlation with autopsy and open heart measurements, 223
 SHERIDAN D J Postnatal developmental changes in the electrophysiological properties of cat right ventricular papillary muscles, 700
 SHIMADA T *see* SASAYAMA S *et al*
 SHIMAMOTO N *see* TANABE M *et al*
 SHIMIZU Y *see* ISHIDE N *et al*
 SIA J B, PACE D G, OSBORNE M W, ZANKO M T, and KOVZELOVE F An improved signal processor for the ultrasonic dimension gauge: Instruments and techniques, 490
 SIPPKE P, WESTERHOF N, and RANDALL O S The arterial system characterised in the time domain, 270
 — *see also* HUISMAN R M *et al*
 SMITH D R *see* ELAMIN M S *et al*
 SMITH G T, GEARY G, RUF W, FORE F N, OYAMA M, and McNAMARA J J Quantitative effect of a single large dose of methylprednisolone on infarct size in baboons, 408
 SMITH H J Depressed contractile function in reperfused canine myocardium: metabolism and response to pharmacological agents, 458
 SPADARO J *see* FISHBEIN M C *et al*
 SPANN J F *see* BREISCH E A *et al*
 SPARKS H V *see* GORMAN M W and SPARKS H V
 SPIER S S *see* LIMAS C J and SPIER S S
 STALEY N A *see* EINZIG S *et al*
 STARK V *see* LESSEN J *et al*
 STINSON E *see* ROSS G *et al*
 STORSTEIN L *see* AMLIE J P *et al*
 STRAUGS W H *see* NICHOLS A B *et al*
 SUEHIRO G T *see* BARKER B *et al*
 SUND T *see* PIENE H and SUND T
- T
- TAKAHASHI M *see* SASAYAMA S *et al*
 TAKESHITA A, MATSUGUCHI H, and NAKAMURA M Effect of coronary occlusion on arterial baroreflex control of heart rate, 303
 TAKISHIMA T *see* ISHIDE N *et al*
 TALBOT S, KILPATRICK D, and WEEKS B Vectorcardiographic analysis of ventricular tachycardia, 73
 TAMAKI K *see* ISHIDE N *et al*
 TANABE M, FUJIWARA S, OHTA N, SHIMAMOTO N, and HIRATA M Pathophysiological significance of coronary collaterals for preservation of the myocardium during coronary occlusion and reperfusion in anaesthetised dogs, 288
 TAYLOR K M, CASALS J G, MITTRA S M, BRANNAN J J, and MORTON J J Haemodynamic effects of angiotensin converting enzyme inhibition after cardiopulmonary bypass in dogs, 199
 TODA N Age-related changes in the transmembrane potential of isolated rabbits ino-atrial nodes and atria, 58
 TODD G L *see* PIEPER G M *et al*
 TOYAMA J *see* HIRATA Y *et al*
 TRIVELLA M G *see* L'ABBATE A *et al*
 TROQUET J *see* BOLAND J and TROQUET J
 TRUUMAN T *see* FITCHETT D H *et al*
- U
- UMMAT A *see* NELLIS S H *et al*
 URIE P M *see* LUX R L *et al*
 URTHALER F, JAMES T N, and HAGEMAN G R Regional flow patterns during the serotonin-induced cardiogenic hypertensive chemoreflex, 169
- V
- VALLIN H O Autonomous influence on sinus node and AV node function in the elderly without significant heart disease: assessment with electrophysiological and autonomic tests, 206
 VAN DEN BOS G C *see* DE JONGE M K
 VAN DER HOEK T M *see* SCHAMHARDT H C *et al*
 VERDOUW P D *see* SCHAMHARDT H C *et al*
 VERRIER R L *see* BROOKS W W *et al*
- W
- WATANABE H *see* AMLIE J P *et al*
 WEBB J G *see* NEWMAN W H and WEBB J G
 WEEKS B *see* TALBOT S *et al*
 WESTERHOF N *see* ELZINGA G and WESTERHOF N
 — *see also* HUISMAN R M *et al*
 SIPPKE P *et al*
 WILLIAMS R S Physical conditioning and membrane receptors for cardioregulatory hormones, 177
 WILSON P A POOLE *see* POOLE-WILSON P A
 WU S T *see* PIEPER G M *et al*
- Y
- YAMADA K *see* HIRATA Y *et al*
 YIPINTSOI T, ROSENKRANTZ J, CODINI M A, and SCHEUER J Myocardial blood flow responses to acute hypoxia and volume loading in physically trained rats, 50
 YUI Y, ITOKAWA Y, and KAWAI C Furosemide-induced thiamine deficiency, 537
- Z
- ZANKO M T *see* SIA J B *et al*
 ZELIS R *see* NELLIS S H *et al*
 ZIPES D P *see* GILMOUR R F and ZIPES D P

SUBJECT INDEX

1980, Volume 14

A

- Action potential, alterations, adriamycin-induced in rat papillary muscle, 446
- — — and transient depolarisation following mechanical changes in isolated myocardium, 624
- — — duration, effect on hypoxia and low pH, 108
- — — intracellular changes induced in both ventricles by acute right ventricular pressure overload, 735
- — — monophasic, digoxin- and digitoxin-induced changes, right ventricle, dog, 130
- ACTIVITIES, 64, 116, 184, 244
- Adrenaline damage to myocardium, and cell sodium, 661
- — — electrophysiological characteristics, 582
- Adrenergic neurotransmission, inhibition in ischaemic regions of canine left ventricle, 116
- vascular response, and baroreflex reactivity, circadian rhythm, 125
- see also Beta-adrenergic blockade
- Adriamycin-induced alterations of action potential in rat papillary muscle, 446
- Afterload effects on ischaemic myocardium, 93
- Age-related changes in transmembrane potential in sinoatrial nodes and atria, rabbit, 58
- Albumin, ¹³¹I, uptake by pig thoracic aorta, 590
- Alprenolol, electrophysiological effects on depressed canine myocardium, 654
- Amrinone, effects on experimental acute myocardial ischaemic injury, 419
- Angiotensin converting enzyme inhibition after cardiopulmonary bypass, haemodynamic effects, dog, 199
- Antihypertensive therapy, effect on calcium transport in SHR, 692
- Aorta, thoracic, ¹³¹I-albumin uptake, pig, 590
- Aortic input impedance, effects of changes on systolic pressure-ejected volume relationships, isolated supported canine left ventricle, 229
- Arterial impulse response, function, measurement and investigation, 270
- system characterised in the time domain, 270
- Arteries, wall shear stress, assessment, applied to the coronary circulation, 568
- see also specific names
- Atria, isolated, electrophysiological and mechanical effects of contrast media on, rat, 638
- and sino-atrial nodes, age-related changes in transmembrane potential, 58
- Atrioventricular and sinus node function in the elderly without significant heart disease, 206
- AUTHORS, INSTRUCTIONS, 1
- Autonomic nervous system, role in pressor response to calcium, unconscious dogs, 522

B

- Baroreflex reactivity and adrenergic vascular response, circadian rhythm, 125
- Beta-adrenergic blockade, effects on myocardial blood flow following acute coronary artery occlusion, 192
- — — and ischaemic injury: effects of partial agonist activity, 619
- see also names of specific drugs

- Blood flow, colon, effects of changes in arterial carbon dioxide tension, dog, 11
- — — myocardial, beta-adrenergic effects on, following acute coronary artery occlusion, 192
- — — and capillary density in chronic pressure overload of feline left ventricle, 469
- — — regional, and cardiac function in naturally occurring congestive cardiomyopathy of turkeys, 396
- — — patterns, during serotonin-induced cardiogenic hypertensive chemoreflex, 169
- — — and segmental wall function after oxyfedrine administration in ischaemic porcine heart, 451
- — — responses to acute hypoxia and volume loading in physically-trained rats, 50

BOOK REVIEWS:

- BAAN J *et al*, editors *Cardiac dynamics, 1980*, 680
- BLOOM A and IRELAND J A *Colour atlas of diabetes*, 370
- CADY L G *editor Computers in cardiology*, 183
- DELMAN A J and STEIN E *Dynamic cardiac auscultation and phonocardiography: a graphic guide*, 184
- GODMAN M J and MARQUIS R M *Paediatric cardiology vol 2: heart disease in the newborn*, 369
- HAWKER R W *Notebook of medical physiology: cardiopulmonary*, 183
- HEARSE D J and DELEIRIS J *editors Enzymes in cardiology: diagnosis and research*, 64
- MACFARLANE P W *editor Progress in electrocardiology*, 369
- MCGREGOR *et al* *editors Cardiovascular actions of sulfinpyrazone*, 680
- SCHWARTZ C J *et al* *editors Structure and function of the circulation, volume 1*, 680
- TAVEL M E *Clinical phonocardiography and external pulse recording 3rd ed*, 244
- THALEN H J TH and HARTHORNE J W *editors To pace or not to pace*, 369
- WILLEMS J L and PEPPERSTRAETE J *Survey report on cardiac arrhythmia monitoring based on special purpose analog and micro-processors within the EEC*, 370

C

- Calcium exchange in rabbit myocardium during and after hypoxia, effect of temperature and substrate, 435
- kinetics in individual heart segments, 731
- pressor response to, role of autonomic nervous system, conscious dogs, 522
- transport, effect of antihypertensive therapy in SHR, 692
- Capillary density and myocardial blood flow in pressure overload of feline left ventricle, 469
- Carbon dioxide tension, arterial, effects of changes on colon blood flow, dog, 11
- Cardiac glycosides mechanism of action of therapeutic levels: review, 495
- Cardiac ischaemia, see Ischaemia, myocardial
- output, measurement, and its distribution under various sodium intakes, using 15 and 10 micron spheres, 577
- Cardiogenic hypertensive chemoreflex, serotonin-induced, regional flow patterns during, 169
- Cardiomyopathy, congestive, naturally occurring, regional myocardial blood flow and cardiac function in, turkeys, 396

- Cardioplegia - the first quarter century, symposium, London, June, 1980, 244
- Cardioregulatory hormones, physical conditioning and membrane receptors, 177
- Cathepsin D, kinetic study of the pH optimum of, 254
- Cell viability in heart valves, 154
- Chagas' heart disease, mechanisms of tachycardia on standing, 541
- Cineangiocardiology, evaluation of regional left ventricular function by, 30
- Collagen content in different areas of normal and hypertrophied rat myocardium, 551
- Computer-assisted positron emission tomography in quantification of myocardial infarction, 428
- Contractile function, depressed, in reperfused canine myocardium response to drugs, 458
- Contrast media, electrophysiological and mechanical effects on rat isolated atria, 638
- Cor pulmonale, acute and action potential changes in both ventricle, 735
- Coronary arteries, isolated human, spontaneous phasic activity, 613
- artery disease, prediction of severity, using submaximal ST segment/heart rate relationship, 681
 - resistance, large and small, comparative effects of vasodilator drugs, 601
 - collaterals for myocardial preservation, during coronary occlusion and reperfusion, dogs, 288
 - occlusion, effect on arterial baroreflex control of heart rate, 303
 - infarct distribution in subhuman primates after, 671
 - myocardial oxygen consumption changes 45 minutes after and alteration of infarct size, 710
 - stenosis, latent, detection in conscious dogs responses to isoprenaline, 476
 - vascular resistance, calculation, 261

D

- Depolarisation, transient, and action potential alterations following mechanical changes in isolated myocardium, 624
- Dexamethasone and no reflow phenomenon in canine myocardium, 137
- Digoxin and digitoxin-induced changes in monophasic action potential of right ventricle, dog, 130
- Dipole ranging and isopotential mapping, comparison of methods for assessing equivalent cardiac generator properties, 360
- DNA and protein synthesis, estimation in allograft organ cultures as measure of cell viability, 154
- Dobutamine, possible modes of action in femoral and pulmonary arteries, dog, 103

E

- Electrocardiograms, *see* QRS, ST-T and QRST deflection areas
- Electrical potentials, cardiac generator, assessing, comparison of isopotential surface mapping and dipole ranging methods, 360
- Exercise testing, ST segment/heart rate relationship during, and prediction of severity of coronary artery disease, 681

F

- Fat induced hypertension in rabbits, 185
- Fibrinolytic therapy in subacute bacterial endocarditis, experimental study, 482
- Fingers, white, induced by vibratory stimulation, pathogenesis, and noradrenaline, 725

- Furosemide-induced thiamine deficiency, rat, 537

G

- Glycosides, cardiac, mechanism of action of therapeutic levels: Review, 495

H

- Haemochromatosis, secondary, cardiac involvement, catheter biopsy study and analysis of myocardium, 719
- Heart failure, inotropic responsiveness to isoprenaline and ouabain in, dog, 530
- postnatal development, pig, 675
 - rate, arterial baroreflex control, effect of coronary occlusion, 303
- Hormones, cardiorespiratory, physical conditioning and membrane receptors, 177
- Hyperaemia bordering ischaemic myocardium in experimental myocardial infarction, 345
- Hyperkinetic circulatory state, background in young spontaneously hypertensive rats, 561
- Hypertension, fat-induced, rabbits, 185
- spontaneous, rats, effect of antihypertensive therapy on calcium transport, 692
 - — background of hyperkinetic circulatory state, 561
- Hypertrophy, left ventricular, morphometrics, 161
- pressure overload, effects on myocardial blood flow and capillary density, feline left ventricle, 469
- Hypoxia, acute, myocardial blood flow responses, physically-trained rats, 50
- calcium exchange in rabbit myocardium during and after, effect of temperature and substrate, 435
 - and low pH, effects on action potential alternation, 108
 - and reoxygenation contracture, myocardial stiffness during, 339

I

- Impedance changes and left ventricular pressure-volume, dog, 229
- Impulse response, arterial, function, measurement and investigation, 270
- Infarcts, changes of microsphere density with time, dogs; Instruments and techniques, 741
- distribution in subhuman primates after acute coronary occlusion, 671
 - migration of 15 micron microspheres from, 280
 - size, and myocardial oxygen consumption changes 45 minutes after experimental coronary occlusion, 710
 - — quantitative effect of single large dose of methylprednisolone, baboon, 408
- Inotropic responsiveness to isoprenaline and ouabain in heart failure, dog, 530
- INSTRUCTIONS TO AUTHORS
- INSTRUMENTS AND TECHNIQUES: An improved signal processor for the ultrasonic dimension gauge, 490
- Changes of microsphere density with time in myocardial infarcts in dogs, 741
- Ischaemic heart disease: epidemiology, risk factors and cause: Review, 307
- see also* Myocardial ischaemia
- Isopotential surface mapping and dipole ranging, comparison of methods for assessing equivalent cardiac generator properties, 360
- Isoprenaline, inotropic responsiveness to in heart failure, dog, 530
- responses to, and detection of latent coronary stenosis in conscious dogs, 476
- Isovolumic indices of contractility in autonomically blocked dogs, steady-state effects, 245

L

- Lactate, preferential uptake by normal myocardium, dogs, 65
- Light chain subunit composition and myosin adenosinotriphosphatase activity of human right and left ventricle, 555

M

- Methylprednisone, single large dose, quantitative effect on infarct size, baboons, 408
- Microsphere density, changes with time in myocardial infarcts, dogs: Instruments and techniques, 741
- Mitral valve area in stenosis, noninvasive determination, 223
- Monophasic action potential, digoxin- and digitoxin-induced changes, right ventricle, dog, 130
- Myocardial accumulation of technetium-99m pyrophosphate, rat, 352
 - acidosis, attenuation by propranolol during ischaemic arrest and reperfusion, 646
 - infarction, evolution, identification and quantification of histochemical border zones during, rat, 41
 - quantification by computer-assisted positron emission tomography, 428
 - quantification of hyperaemia bordering ischaemic myocardium in, 345
 - infarcts, *see* Infarcts
 - ischaemia, effects of oxyfedrine, 451
 - experimental, observations: Review, 371
 - impaired sympathetic nerve function in, 116
 - injury, caused by adrenaline, and cell sodium, 661
 - experimental acute, effects of amrinone, 419
 - and beta-blockade: effects of partial agonist activity, 619
 - *see also* Myocardium, damaged
 - nitroglycerin as cause of vasodilatation, 515
 - and reperfusion, protective effect of verapamil on vulnerability to ventricular fibrillation during, 295
 - lactate uptake in normal dogs, 65
 - morphometrics in pressure overload left ventricular hypertrophy and regression, 161
 - oxygen consumption changes 45 minutes after experimental coronary occlusion and alteration of infarct size, 710
 - preservation, coronary collaterals for, during coronary occlusion and reperfusion, dog, 288
 - pressure-flow relationships, transmural, in working dog's heart, 21
 - stiffness during hypoxic and reoxygenation contracture, 339
- Myocardium, calcium exchange during and after hypoxia, effect of temperature and substrate, rabbit, 435
- damaged by adrenaline, electrophysiological characteristics, 582
- depressed, electrophysiological effects of alprenolol on, dog, 654
- hypertrophied, and normal, collagen content in different areas, rat, 551
- ischaemic, afterload effects, 93
- modification of regional function by alteration of arterial pressure, dogs, 93
- isolated, transient depolarisation and action potential alterations following mechanical changes, 624
- reperfused, contractile function in, response to drugs, dog, 458
- Myosin adenosinotriphosphatase activity and light chain subunit composition of human right and left ventricle, 555

N

- Nitroglycerin as cause of vasodilatation within ischaemic myocardium, 515
- Noradrenaline, and pathogenesis of white finger induced by vibratory stimulation, 725

O

- Ouabain, inotropic responsiveness to in heart failure, dog, 530
- Oxyfedrine, effect on ischaemic heart function, 451

P

- Papillary muscle, adriamycin-induced alterations of action potential in, 446
 - right ventricular, postnatal developmental changes in electrophysiological properties, cat, 700
- pH, cardiac, *see* Myocardial acidosis
- low, and hypoxia, effects on action potential alternation, 108
- Phasic activity, spontaneous, of isolated human coronary arteries, 613
- Postnatal development of the pig heart, 675
 - developmental changes in the electrophysiological properties of cat right ventricular papillary muscles, 700
- Potential, action, *see* Action potential
- cardiac, comparison of isopotential surface mapping and dipole ranging methods in assessing, 360
- transmembrane, age-related changes, 58
- Pressor response to calcium in conscious dogs, role of autonomic nervous system, 522
- Pressure-flow relationships, transmural myocardial, in working dog's heart, 21
 - overload, right ventricular, intracellular action potential changes induced in both ventricles by, rat, 735
 - plane analysis of right ventricular performance, 217
 - volume, left ventricular, and impedance changes, dog, 229
- Propranolol and cardiac pH in global ischaemia and reperfusion, 646
- Protein and DNA synthesis, estimation in allograft organ cultures as measure of cell viability, 154
- Pump function of feline left heart, changes with heart rate and bearing on energy balance, 81

Q

- QRS, ST-T and QRST deflection areas, variability of body surface distributions with varied activation sequence, dog, 607

R

- Risk factors in ischaemic heart disease: Review, 307

S

- Segmental wall function and regional myocardial blood flow after oxyfedrine administration in the ischaemic porcine heart, 451
- Serotonin-induced cardiogenic hypertensive chemoreflex, regional flow patterns during, 169
- Signal processor, improved, for the ultrasonic dimension gauge: Instruments and techniques, 490
- Sino-atrial nodes and atria, age-related changes in transmembrane potential, rabbit, 58
- Sinus and atrioventricular node function in the elderly without significant heart disease, 296
- Sodium, cell, and induction of myocardial injury after adrenaline, 661
 - intakes, and measurement of cardiac output and its distribution, using 15 and 10 micron spheres, 577
- Stenosis, mitral valve area, noninvasive determination, 223
 - *see also* Coronary stenosis
- ST segment/heart rate relationship during exercise testing and prediction of severity of coronary artery disease, 681
- ST-T, QRS and QRST deflection areas, variability of body surface distributions with varied activation sequence, dog, 607

- Steady-state effects on left ventricular isovolumic indices, dogs, 245
Stress, left ventricular wall, measurement, 142
Subacute bacterial endocarditis, fibrinolytic therapy, experimental study, 482

T

- Tachycardia, on standing, mechanisms, in normal and in Chagas' heart patients, 541
— ventricular, vectorcardiographic analysis, 73
Technetium-99m pyrophosphate accumulation in experimental infarctions, rat, 352
Thiamine deficiency, furosemide-induced, rat 537
Tomography, *see* Computer-assisted positron emission tomography
Transmural myocardial pressure-flow relationships in working dog's heart, 21

U

- Ultrasonic dimension gauge, improved signal processor for: Instruments and techniques, 490

V

- Valves, heart, cell viability, 154
Vasodilator drugs comparative effects on large and small coronary resistance vessels, dog, 601
Vectorcardiographic analysis in ventricular tachycardia, 73
Ventricle, left, function, regional evaluation by cineangiography, 30
— — pressure overload hypertrophied, myocardial blood flow and capillary density in, cat, 469
— — wall, measurement of stress, 142
— right and left, myosin adenotriphosphatase activity and light chain subunit composition, 555
— right, performance, pressure plane analysis, 217
Ventricular fibrillation, effect of verapamil on vulnerability to during myocardial ischaemia and reperfusion, 295
— tachycardia, vectorcardiographic analysis, 73
Verapamil, protective effect on vulnerability to ventricular fibrillation during myocardial ischaemia and reperfusion, 295
Vibratory stimulation, pathogenesis, 730
Volume loading, myocardial blood flow responses, physically-trained rats, 50.

W

- Wall shear stress in coronary arteries, assessment, 568
White fingers induced by vibratory stimulation, pathogenesis, and noradrenaline, 725

CARDIOVASCULAR RESEARCH

EDITOR
R J LINDEN

ASSISTANT EDITOR
D A S G MARY

A M BARRETT	A MASERI
D H BERGEL	C MILLS
M V BRAIMBRIDGE	J H MITCHELL
D L BRUTSAERT	W G NAYLER
B FOLKOW	M I M NOBLE
D M KRIKLER	W SCHAPER
T D V LAWRIE	P SLEIGHT
P W MACFARLANE	E M VAUGHAN WILLIAMS

EDITOR *British Heart Journal*
EDITOR *British Medical Journal*
TECHNICAL EDITOR ANN NORRIS

VOLUME 14, 1980

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE WC1H 9JR

THE JOURNAL OF THE ROYAL ANTHROPOLOGICAL INSTITUTE

Volume 100, Part 1, 2000

Edited by
Professor Sir Ian H. Marshall

Editorial Board
Professor Sir Ian H. Marshall
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

Editorial Board
Professor Sir John A. J. Cowley
Professor Sir John L. H. B. Broxton
Professor Sir John L. H. B. Broxton

CONTENTS

No 1 JANUARY 1980

Instructions to Authors	1
Colon blood flow in the dog: effects of changes in arterial carbon dioxide tension: D G Gilmour, I H S Douglas, A R Aitkenhead, A P Hotherhall, P W Horton, and I McA Ledingham	11
Opposite transmural gradients of coronary resistance and extravascular pressure in the working dog's heart: Antonio L'Abbate, Mario Marzilli, A Maria Ballestra, Paolo Camici, M Giovanna Trivella, Gualtiero Pelosi, and Gerald A Klassen	21
Quantitative evaluation of the regional left ventricle function in normal subjects by means of cineangiocardiology: Antonio Barsotti, Rita Mariotti, Alberto Balbarini, and Mario Mariani	30
Identification and quantification of histochemical border zones during the evolution of myocardial infarction in the rat: Michael C Fishbein, Carol A Hare, Sally A Gissen, Joel Spadaro, Derek Maclean, and Peter R Maroko	41
Myocardial blood flow responses to acute hypoxia and volume loading in physically trained rats: Tada Yipintsoi, Joel Rosenkrantz, Michele A Codini, and James Scheuer	50
Age-related changes in the transmembrane potential of isolated rabbit sino-atrial nodes and atria: Noboru Toda	58
Activities and Book Reviews	64

No 2 FEBRUARY 1980

Preferential uptake of lactate by the normal myocardium in dogs: Angela J Drake, James R Haines, and Mark I M Noble	65
Vectorcardiographic analysis of ventricular tachycardia: S Talbot, D Kilpatrick, and B Weeks	73
Pump function of the feline left heart: changes with heart rate and its bearing on the energy balance: G Elzinga and N Westerhof	81
Modification of regional function of ischaemic myocardium by the alteration of arterial pressure in dogs: Shigetake Sasayama, Genta Osakada, Masaaki Takahashi, Toshio Shimada, and Chuichi Kawai	93
Possible modes of action of dobutamine in dog femoral and pulmonary arteries: Hideji Morishita and Tatsuo Furukawa	103
Effects of hypoxia or low pH on the alternation of canine ventricular action potentials following an abrupt increase in driving rate: Yukio Hirata, Junji Toyama, and Kazuo Yamada	108
Inhibition of adrenergic neurotransmission in ischaemic regions of the canine left ventricle: J B Martins, R E Kerber, M L Marcus, D L Laughlin, and D M Levy	116

No 3 MARCH 1980

Circadian rhythm of baroreflex reactivity and adrenergic vascular response: Volker Hossmann, Garret A Fitzgerald, and Colin T Dollery	125
Digoxin- and digitoxin-induced changes in monophasic action potential of the right ventricle of the dog heart: Jan P Amlie, Liv Storstein, and Hideto Watanabe	130
Beneficial effect of dexamethasone on the "no reflow" phenomenon in canine myocardium: Stephen H Nellis, Barbara H Roberts, Evlin L Kinney, John Field, Arun Ummat, and Robert Zelis	137
Measurement of left ventricular wall stress: Roelof M Huisman, Gijs Elzinga, Nicolaas Westerhof, and Pieter Sipkema	142
Estimation of protein and DNA synthesis in allograft organ cultures as a measure of cell viability: Adriano M Henney, D John Parker, and Michael J Davies	154
Myocardial morphometrics in pressure overload left ventricular hypertrophy and regression: Eric A Breisch, Alfred A Bove, and Steven J Phillips	161
Regional flow patterns during the serotonin-induced cardiogenic hypertensive chemoreflex: Ferdinand Urthaler, Thomas N James, and Gilbert R Hageman	169
Physical conditioning and membrane receptors for cardioregulatory hormones: R Sanders Williams	177
Book Reviews	183
Activities	184

No 4 APRIL 1980

Fat induced hypertension in rabbits. Effects of dietary fibre on blood pressure and blood lipid concentration: P G Burstyn and D R Husbands	185
Effect of selective beta-adrenergic blockade and stimulation on regional myocardial blood flow following acute coronary artery occlusion in the awake dog: Kenneth Melby and Robert J Bache	192
Haemodynamic effects of angiotensin converting enzyme inhibition after cardiopulmonary bypass in dogs: Kenneth M Taylor, Jorge G Casals, Susheela M Mittra, John J Brannan, and James J Morton	199
Autonomous influence on sinus node and AV node function in the elderly without significant heart disease: assessment with electrophysiological and autonomic tests: Hans O Vallin	206
Performance of the right ventricle: a pressure plane analysis: Hroar Piene and Torbjørn Sund	217
Noninvasive determination of the mitral valve area in stenosis: a computational model and correlation with autopsy and open heart measurements: W S Seitz and E J Opershall	223
Effects of changes in the aortic input impedance on systolic pressure-ejected volume relationships in the isolated supported canine left ventricle: Nobumasa Ishide, Yoshio Shimizu, Yukio Maruyama, Yoshiro Koiwa, Tooru Nunokawa, Shogen Isoyama, Shigenori Kitaoka, Kenji Tamaki, Eiji Ino-Oka, and Tamotsu Takishima	229
Book Reviews and Activities	244

No 5 MAY 1980

Steady-state effects of preload and afterload on isovolumic indices of contractility in autonomically blocked dogs: Archer Broughton and Paul I Korner	245
A kinetic study of the pH optimum of canine cardiac cathepsin D: Edward A Ogunro, Alan G Ferguson, and Michael Lesch	254
Calculation of coronary vascular resistance: Ronald F Bellamy	261
The arterial system characterised in the time domain: P Sipkema, N Westerhof, and O S Randall	270
Migration of 15 micron microspheres from infarcted myocardium: Jon Lekven and Knut S Andersen	280
Pathophysiological significance of coronary collaterals for preservation of the myocardium during coronary occlusion and reperfusion in anaesthetised dogs: Masao Tanabe, Shuji Fujiwara, Noriko Ohta, Norio Shimamoto, and Minoru Hirata	288
Protective effect of verapamil on vulnerability to ventricular fibrillation during myocardial ischaemia and reperfusion: Wesley W Brooks, Richard L Verrier, and Bernard Lown	295
Effect of coronary occlusion on arterial baroreflex control of heart rate: A Takeshita, H Matsuguchi and M Nakamura	303

No 6 JUNE 1980

REVIEW: Ischaemic heart disease: epidemiology, risk factors and cause: Philip R J Burch	307
Myocardial stiffness during hypoxic and reoxygenation contracture: Malcolm J Lewis, Philippe R Housmans, Victor A Claes, Dirk L Brutsaert, and Andrew H Henderson	339
Quantification of hyperaemia bordering ischaemic myocardium in experimental myocardial infarction: Lair G T Ribeiro, D Gregg Hopkins, Tedd A Brandon, Lawrence A Reduto, and Richard R Miller	345
Accumulation of technetium-99m pyrophosphate in experimental infarctions in the rat: J Lessem, P I Polimeni, E Page, L Resnekov, P V Harper, and V Stark	352
Comparison of isopotential surface mapping and dipole ranging methods for assessing equivalent cardiac generator properties: David M Mirvis	360
Book Reviews	369

No 7 JULY 1980

REVIEW: Observations on experimental myocardial ischaemia: Robert A Kloner and Eugene Braunwald	371
Regional myocardial blood flow and cardiac function in a naturally occurring congestive cardiomyopathy of turkeys: Stanley Einzig, Nancy A Staley, Egon Mettler, Demetre M Nicoloff, and George R Noren	396

Quantitative effect of a single large dose of methylprednisolone on infarct size in baboons: Gregory T Smith, Grayson Geary, Wolfgang Ruf, Frank N Fore, Moritsugu Oyama, and J Judson McNamara	408
Effects of amrinone on experimental acute myocardial ischaemic injury: Robert E Rude, Robert A Kloner, Peter R Maroko, Shukri Khuri, Stephanie Karaffa, Laurence W V. DeBoer, and Eugene Braunwald	419
Quantification of myocardial infarction by computer-assisted positron emission tomography: Allen B Nichols, Richard H Moore, Saadia Cochavi, Gerald M Pohost, and William H Strauss	428

No 8 AUGUST 1980

Calcium exchange in rabbit myocardium during and after hypoxia: effect of temperature and substrate: Deborah P Harding and Philip A Poole-Wilson	435
Adriamycin-induced alterations of the action potential in rat papillary muscle: M L Lazarus, K L Rossner, and K M Anderson	446
Regional myocardial blood flow and segmental wall function after oxyfedrine administration in the ischaemic porcine heart: Henk C Schamhardt, Pieter D Verdouw, Teunis M van der Hoek, and Pramod R Saxena	451
Depressed contractile function in reperfused canine myocardium: metabolism and response to pharmacological agents: Howard J Smith	458
Myocardial blood flow and capillary density in chronic pressure overload of the feline left ventricle: Eric A Breisch, Steven R Houser, Rita A Carey, James F Spann, and Alfred A Bove	469
Detection of latent coronary stenosis in conscious dogs: regional functional and electrocardiographic responses to isoprenaline: Alexander Battler, Kim P Gallagher, Victor F Froelicher, Toshiaki Kumada, W Scott Kemper, and John Ross Jr	476
Fibrinolytic therapy in subacute bacterial endocarditis: an experimental study: Clive E Johnson, Hewan A Dewar, and William A Aherne	482
<i>Instruments and Techniques</i>	
An improved signal processor for the ultrasonic dimension gauge: Joseph B Sia, Daniel G Pace, Melville W Osborne, Motria T Zanco, and Frank Kovzelove	490

No 9 SEPTEMBER 1980

REVIEW: Mechanism of action of therapeutic levels of cardiac glycosides: Denis Noble	495
Nitroglycerin causes vasodilatation within ischaemic myocardium: M W Gorman and H V Sparks, Jr	515
Role of the autonomic nervous system in the pressor response to calcium in conscious dogs: Lawrence D Horwitz and Meyer D Lifschitz	522
A differential inotropic responsiveness to isoprenaline and ouabain in dogs with heart failure: Walter H Newman and Jerry G Webb	530

Furosemide-induced thiamine deficiency: Yoshiki Yui, Yoshinori Itokawa, and Chuichi Kawai	537
Mechanisms of tachycardia on standing: studies in normal individuals and in chronic Chagas' heart patients: J A Marin Neto, L Gallo Jr, J C Manco, A Rassi, and D S Amorim	541
Collagen content in different areas of normal and hypertrophied rat myocardium: Ivan Medugorac	551

No 10 OCTOBER 1980

Myosin adenosinetriphosphatase activity and light chain subunit composition of human right and left ventricle: Karen M Price, William A Littler, and Peter Cummins	555
Background of hyperkinetic circulatory state in young spontaneously hypertensive rats: Stefan A Lundin and Margareta Hallbäck-Nordlander	561
Assessment of wall shear stress in arteries, applied to the coronary circulation: T J Benson, R M Nerem, and T J Pedley	568
Measurement of cardiac output and its distribution in rats under various sodium intakes, using 15 and 10 micron spheres: Daniel Casellas and Albert Mimran	577
Electrophysiological characteristics of rodent myocardium damaged by adrenaline: Robert F Gilmour Jr, and Douglas P Zipes	582
Influence of static and oscillatory pressure/strain on ¹³¹I-albumin uptake by the wall of the isolated pig thoracic aorta: Jonathan R Batten and David L Newman	590
Comparative effects of vasodilator drugs on large and small coronary resistance vessels in the dog: Robert Forman and Edward S Kirk	601
Variability of the body surface distributions of QRS, ST-T and QRST deflection areas with varied activation sequence in dogs: Robert L Lux, Paul M Urie, Mary Jo Burgess, and J A Abildskov	607
Spontaneous phasic activity of isolated human coronary arteries: Gordon Ross, E Stinson, J Schroeder, and R Ginsburg	613

No 11 NOVEMBER 1980

Beta-blockade and ischaemic injury: effects of partial agonist activity: Allan S Manning, Jacinta M Keogh, David J Hearse, and D John Coltart	619
Transient depolarisation and action potential alterations following mechanical changes in isolated myocardium: Max J Lab	624
Electrophysiological and mechanical effects of contrast media on isolated rat atria: Ragnar Hotvedt and Helge Refsum	638
Attenuation of myocardial acidosis by propranolol during ischaemic arrest and reperfusion: evidence with ³¹P nuclear magnetic resonance: Galen M Pieper, Gordon L Todd, Shao T Wu, J M Salhany, Franklin C Clayton, and Robert S Eliot	646

Electrophysiological effects of alprenolol on depressed canine myocardium: Paul A Guse, Marion S Gaide, Robert J Myerburg, Kristina Epstein, Henry Gelband, and Arthur L Bassett	654
Cell sodium and the induction of myocardial injury after adrenaline: Won-Kyu Lee, Bunyad Haider, S Sultan Ahmed, Henry A Oldewurtel, Michael M Lyons, and Timothy J Regan	661
Infarct distribution in subhuman primates after acute coronary occlusion: Bryce Barker, Marshal D Rosario, Vicky Grant, J Judson McNamara, and Glenn T Suehiro	671
Postnatal development of the pig heart: Diamantino Guerreiro, Stuart C Lennox, and Robert H Anderson	675
Book Reviews	680

No 12 DECEMBER 1980

Prediction of severity of coronary artery disease using slope of submaximal ST segment/heart rate relationship: M S Elamin, D A S G Mary, D R Smith, and R. J. Linden	681
Effect of antihypertensive therapy on calcium transport by cardiac sarcoplasmic reticulum of SHRs: Constantinos J Limas and Sandra S Spier	692
Postnatal developmental changes in the electrophysiological properties of cat right ventricular papillary muscles: Desmond J Sheridan	700
Changes in myocardial oxygen consumption 45 minutes after experimental coronary occlusion do not alter infarct size: K D Müller, H Klein, and W Schaper	710
Cardiac involvement in secondary haemochromatosis: a catheter biopsy study and analysis of myocardium: D H Fitchett, D J Coltart, W A Littler, M J Leyland, T Trueman, D I Gozzard, and T J Peters	719
An approach to the pathogenesis of "white finger" induced by vibratory stimulation: acute but sustained changes in vascular responsiveness of canine hindlimb to noradrenaline: Takehiko Azuma, Toshio Ohhashi, and Masao Sakaguchi	725
Calcium kinetics in individual heart segments: Jack T Saari and John A Johnson	731
Intracellular action potential changes induced in both ventricles of the rat by an acute right ventricular pressure overload: J Boland and J Troquet	735
<i>Instruments and Techniques</i>	
Changes of microsphere density with time in myocardial infarcts in dogs: M Kiewiet de Jonge, G C van den Bos, and G Elzinga	741
Volume Index	745

